

Larry Hogan, Governor - Boyd Rutherford, Lt. Governor - Van Mitchell, Secretary

April 3, 2015

Public Health Preparedness and Situational Awareness Report: #2015:12 Reporting for the week ending 03/28/15 (MMWR Week #12)

CURRENT HOMELAND SECURITY THREAT LEVELS


National: No Active Alerts

Maryland: Level Four (MEMA status)

SYNDROMIC SURVEILLANCE REPORTS

ESSENCE (Electronic Surveillance System for the Early Notification of Community-based Epidemics):


Graphical representation is provided for all syndromes (excluding the "Other" category; see Appendix 1) by Health and Medical Regions (See Appendix 2). Emergency department chief complaint data is presented as rates per 100,000 residents using data from the 2010 census.



There were 5 gastrointestinal illness outbreaks reported this week: 2 outbreaks of gastroenteritis in nursing homes (Regions 3, 5) and 3 outbreaks of gastroenteritis in assisted living facilities (Regions 3, 5).

	Gastrointestinal Syndrome Baseline Data January 1, 2010 - Present								
Health Region	1&2 3 4 5 Maryland								
Mean Rate*	13.17	14.27	15.32	10.39	12.80				
Median Rate*	13.17 14.20 14.69 10.30 12.73								


^{*} Per 100,000 Residents



There was 1 respiratory illness outbreak reported this week: 1 outbreak of influenza/pneumonia in a nursing home (Regions 1&2).

	Respiratory Syndrome Baseline Data January 1, 2010 - Present							
Health Region	1&2	3	4	5	Maryland			
Mean Rate*	12.14	13.38	13.76	9.85	11.97			
Median Rate*	11.73	12.99	13.36	9.56	11.67			


* Per 100,000 Residents



There were no fever outbreaks reported this week.

	Fever Syndrome Baseline Data January 1, 2010 - Present								
Health Region	1&2 3 4 5 Maryland								
Mean Rate*	3.24 3.64 3.89 3.15 3.44								
Median Rate*	3.09 3.49 3.78 3.03 3.31								


Per 100,000 Residents



There were no localized lesion outbreaks reported this week.

	Localized Lesion Syndrome Baseline Data January 1, 2010 - Present						
Health Region	1&2 3 4 5 Maryla						
Mean Rate*	1.17	1.97	2.06	1.04	1.56		
Median Rate*	1.03	1.92	2.00	1.01	1.51		


^{*} Per 100,000 Residents



There were no rash illness outbreaks reported this week.

	Rash Syndrome Baseline Data January 1, 2010 - Present									
Health Region	1&2 3 4 5 Maryland									
Mean Rate*	1.40 1.75 1.78 1.09 1.47									
Median Rate*	1.23 1.69 1.78 1.06 1.42									


^{*} Per 100,000 Residents



There were no neurological outbreaks reported this week.

	Neurological Syndrome Baseline Data January 1, 2010 - Present							
Health Region	1&2	Maryland						
Mean Rate*	0.61	0.62	0.59	0.43	0.55			
Median Rate*	0.62	0.60	0.45	0.41	0.54			

* Per 100,000 Residents




There were no severe illness or death outbreaks reported this week.

	Severe Illness or Death Syndrome Baseline Data January 1, 2010 - Present								
Health Region	1&2 3 4 5 Marylan								
Mean Rate*	0.80 0.95 0.89 0.42 0.73								
Median Rate*	0.82 0.94 0.89 0.41 0.73								

^{*} Per 100,000 Residents


SYNDROMES RELATED TO CATEGORY A AGENTS



There was an appreciable increase above baseline in the rate of ED visits for Botulism-like Syndrome on 3/22 (Region 3,4), 3/23 (Region 5), 3/26 (Region 3), 3/27 (Regions 1&2, 3), and 3/28 (Region 5). These increases are not known to be associated with any outbreaks.

	Botulism-like Syndrome Baseline Data January 1, 2010 - Present								
Health Region	1&2	3	4	5	Maryland				
Mean Rate*	0.06	0.04	0.04	0.03	0.04				
Median Rate*	0.00	0.04	0.00	0.00	0.03				


^{*} Per 100,000 Residents



There was an appreciable increase above baseline in the rate of ED visits for Hemorrhagic Illness Syndrome on 3/22 (Regions 3,5), 3/23 (Regions 3,5), 3/24 (Regions 3,4), 3/25 (Regions 3,5), 3/26 (Regions 1&2, 3,5), 3/27 (Regions 3,5), and 3/28 (Region 3). These increases are not known to be associated with any outbreaks.

	Hemorrhagic Illness Syndrome Baseline Data January 1, 2010 - Present						
Health Region	1&2	3	4	5	Maryland		
Mean Rate*	0.03	0.05	0.03	0.04	0.04		
Median Rate*	0.00	0.04	0.00	0.00	0.03		

^{*} Per 100,000 Residents



There was an appreciable increase above baseline in the rate of ED visits for Lymphadenitis Syndrome 3/22 (Regions 1&2,3,5), 3/23 (Region 3), 3/24 (Region 5), and 3/28 (Regions 3,5). These increases are not known to be associated with any outbreaks.

	Lymp	Lymphadenitis Syndrome Baseline Data January 1, 2010 - Present							
Health Region	1&2	3	4	5	Maryland				
Mean Rate*	0.32	0.36	0.34	0.25	0.31				
Median Rate*	0.21	0.34	0.22	0.23	0.29				

^{*} Per 100,000 Residents

MARYLAND REPORTABLE DISEASE SURVEILLANCE

	Counts of Reported Cases‡						
Condition		March		Cumulat	ive (Year to	Date)**	
Vaccine-Preventable Diseases	2015	Mean*	Median*	2015	Mean*	Median*	
Aseptic meningitis	13	28.2	28	54	88.2	91	
Meningococcal disease	0	0.8	1	1	2.4	2	
Measles	0	0	0	0	0	0	
Mumps	0	6.8	0	1	9.2	0	
Rubella	0	0.2	0	0	0.2	0	
Pertussis	1	11.4	11	22	38.6	33	
Foodborne Diseases	2015	Mean*	Median*	2015	Mean*	Median*	
Salmonellosis	23	49.6	52	98	139.8	132	
Shigellosis	18	13.6	10	59	34.2	28	
Campylobacteriosis	20	29.8	26	91	95.2	91	
Shiga toxin-producing Escherichia coli (STEC)	2	3.6	4	7	10.6	11	
Listeriosis	0	0.2	0	3	1.2	1	
Arboviral Diseases	2015	Mean*	Median*	2015	Mean*	Median*	
West Nile Fever	0	0	0	0	0	0	
Lyme Disease	16	53.8	61	57	132.8	150	
Emerging Infectious Diseases	2015	Mean*	Median*	2015	Mean*	Median*	
Chikungunya	1	0	0	9	0	0	
Dengue Fever	0	0.4	0	0	1.8	2	
Other	2015	Mean*	Median*	2015	Mean*	Median*	
Legionellosis	3	5.8	4	13	16.4	16	


[‡] Counts are subject to change

^{*}Timeframe of 2009-2014

^{**}Includes January through March


SYNDROMIC INFLUENZA SURVEILLANCE

Seasonal Influenza reporting occurs from MMWR Week 40 through MMWR Week 22 (October through May). Seasonal influenza activity for Week 12 was: Local Activity with Minimal Intensity.



	Ir	Influenza-like Illness Baseline Data Week 1 2010 - Present							
Health Region	1&2	1&2 3 4 5 Maryl							
Mean Rate*	9.86	10.58	11.04	9.90	10.30				
Median Rate*	8.02 8.26 8.90 7.40 8.00								


* Per 100,000 Residents



There was an appreciable increase above baseline in the rate of OTC flu medication sales on 3/24 (Region 3).

	OTC Sales Baseline Data January 1, 2010 - Present				
Health Region	1&2	3	4	5	Maryland
Mean Rate*	5.66	6.42	3.11	14.94	9.31
Median Rate*	4.32	5.33	2.67	12.13	7.57

^{*} Per 100,000 Residents



There was not an appreciable increase above baseline in the rate of OTC thermometer sales this week.

	Thermometer Sales Baseline Data January 1, 2010 - Present				
Health Region	1&2	3	4	5	Maryland
Mean Rate*	5.84	4.93	3.43	8.42	6.20
Median Rate*	5.14	4.54	3.12	7.77	5.74

^{*} Per 100,000 Residents

PANDEMIC INFLUENZA UPDATE / AVIAN INFLUENZA-RELATED REPORTS

WHO update: The current WHO phase of pandemic alert for avian influenza is ALERT. Currently, the avian influenza H5N1 virus continues to circulate in poultry in some countries, especially in Asia and northeast Africa. This virus continues to cause sporadic human infections with some instances of limited human-to-human transmission among very close contacts. There has been no sustained human-to-human or community-level transmission identified thus far.

Influenza A (H7N9) is one of a subgroup of influenza viruses that normally circulate among birds. Until recently, this virus had not been seen in people. However, human infections have now been detected. As yet, there is limited information about the scope of the disease the virus causes and about the source of exposure. The disease is of concern because most patients have been severely ill. There is no indication thus far that it can be transmitted between people, but both animal-to-human and human-to-human routes of transmission are being actively investigated.

Alert phase: This is the phase when influenza caused by a new subtype has been identified in humans. Increased vigilance and careful risk assessment, at local, national and global levels, are characteristic of this phase. If the risk assessments indicate that the new virus is not developing into a pandemic strain, a deescalation of activities towards those in the interpandemic phase may occur. As of <u>March 3, 2015</u>, the WHO-confirmed global total (2003-2015) of human cases of H5N1 avian influenza virus infection stands at 784, of which 429 have been fatal. Thus, the case fatality rate for human H5N1 is approximately 55%.

Avian Influenza in Humans:

H5N1 (INDONESIA): 27 Mar 2015 Testing has found a father and son from Tangerang, Banten [province], died after contracting the bird flu virus. The father and son died on 24 Mar 2015 and on 26 Mar 2015, respectively, after spending the past week hospitalized in Tangerang and East Jakarta with severe fevers and other flu-like symptoms. Read more: http://www.promedmail.org/direct.php?id=3263924

H5N1 (EGYPT): 30 Mar 2015 The FAO [Food and Agriculture Organization of the UN] has announced 11 more H5N1 cases [in Egypt]. Read more: http://www.promedmail.org/direct.php?id=3265901

There were no reports of human cases of avian influenza in the United States at the time that this report was compiled.

Avian Influenza in Poultry:

HPAI H5N2, goose (USA): 26 Mar 2015 State officials received confirmation on [Wed 25 Mar 2015] that the highly pathogenic H5N2 avian influenza strain was identified in a Canada goose found near Cheyenne, Wyoming. This is the 1st detection of highly pathogenic avian influenza in Wyoming. Read more: http://www.promedmail.org/direct.php?id=3267533

H5N2, turkey (USA): 27 Mar 2015 A 2nd case of avian flu has been confirmed in a commercial turkey flock in Minnesota -- one that has affected the Jennie-O Turkey Store. According to the United States Department of Agriculture and Minnesota State Officials, the presence of avian flu was found in a flock of 66 000 turkeys in Lac Qui Parle County, which provides turkeys to the Jennie-O Turkey Store. Read more: http://www.promedmail.org/direct.php?id=3264089

NATIONAL DISEASE REPORTS

No national disease reports this week.

INTERNATIONAL DISEASE REPORTS

ANTHRAX (INDIA): 29 Mar 2015 A total of 5 tribals of Kankadaamba village under Semiliguda block of the district [Koraput, Odisha] suffering from anthrax were admitted to different hospitals on [Sat 28 Mar 2015]. Read more: http://www.promedmail.org/direct.php?id=3265314

HANTAVIRUS (PANAMA): 31 Mar 2015 This past Monday [30 Mar 2015], 2 new cases of [a] hantavirus [infection] were confirmed in Los Santos province, bringing to 11 the number of affected people in the Azuero region so far this year [2015]. Read more: http://www.promedmail.org/direct.php?id=3271301

EBOLA (MULTI-COUNTRY): 01 Apr 2015 WHO Ebola Response Roadmap Situation Report. Read more: http://apps.who.int/ebola/current-situation/ebola-situation-report-1-april-2015-0

OTHER RESOURCES AND ARTICLES OF INTEREST

More information concerning Public Health and Emergency Preparedness can be found at the Office of Preparedness and Response website: http://preparedness.dhmh.maryland.gov/ or follow us on Facebook at www.facebook.com/MarylandOPR.

More data and information on influenza can be found on the DHMH website: http://phpa.dhmh.maryland.gov/influenza/fluwatch/SitePages/Home.aspx

Please participate in the Maryland Resident Influenza Tracking System (MRITS): http://flusurvey.dhmh.md.gov/

NOTE: This weekly review is a compilation of data from various surveillance systems, interpreted with a focus on a potential BT event. It is not meant to be inclusive of all epidemiology data available, nor is it meant to imply that every activity reported is a definitive BT event. International reports of outbreaks due to organisms on the CDC Critical Biological Agent list will also be reported. While not "secure", please handle this information in a professional manner. Please feel free to distribute within your organization, as you feel appropriate, to other professional staff involved in emergency preparedness and infection control.

For questions about the content of this review or if you have received this and do not wish to receive these weekly notices, please e-mail us. If you have information that is pertinent to this notification process, please send it to us to be included in the routine report.

Elizabeth Humes, MPH
Biosurveillance Epidemiologist
Office of Preparedness and Response
Maryland Department of Health & Mental Hygiene
300 W. Preston Street, Suite 202
Baltimore, MD 21201
Officer 410 767 5669

Office: 410-767-5668 Fax: 410-333-5000

Email: elizabeth.humes@maryland.gov

Anikah H. Salim, MPH, CPH
Biosurveillance Epidemiologist
Office of Preparedness and Response
Maryland Department of Health & Mental Hygiene
300 W. Preston Street, Suite 202
Baltimore, MD 21201

Office: 410-767-2074 Fax: 410-333-5000

Email: Anikah.Salim@maryland.gov

Appendix 1: ESSENCE Syndrome Definitions and Associated Category A Conditions

Syndrome	ESSENCE Definition	Category A Conditions
Botulism-like	(Botulism or (DifficultyFocusing and DifficultySpeaking) or (DifficultySpeaking and DifficultySwallowing) or (DifficultySwallowing and DifficultyFocusing) or DoubleVision or FacialParalysis or GuillainBarre or Ptosis) and not GeneralExclusions	Botulism
Fever	(Chills or (FeverPlus and (Drowsiness or Seizure)) or FeverOnly or SepsisGroup or ViralSyndrome) and not GeneralExclusions	N/A
Gastrointestinal	(AbdominalCramps or AbdominalPainGroup or Diarrhea or FoodPoisoning or Gastroenteritis or GIBleeding or Peritonitis or Vomiting) and not (GeneralExclusions or Gynecological or Obstetric or Reproductive or UrinaryTract)	Anthrax (gastrointestinal)
Hemorrhagic Illness	(FeverOrChills and (AcuteBloodAbnormalitiesGroup or BleedingFromMouth or BleedingGums or GIBleeding or Hematemesis or Hemoptysis or Nosebleed or Petechiae or Purpura)) and not GeneralExclusions	Viral Hemorrhagic Fever
Localized Lesion	(Boils or Bump or Carbuncle or DepressedUlcer or Eschar or Furuncle or InsectBite or SkinAbscess or (SkinSores and not AllOverBody) or SkinUlcer or SpiderBite) and not (GeneralExclusions or Decubitus or Diabetes or StasisUlcer)	Anthrax (cutaneous) Tularemia
Lymphadenitis	(BloodPoisoning or Bubo or CatScratchDisease or SwollenGlands) and not GeneralExclusions	Plague (bubonic)
Neurological	(([Age<75] and AlteredMentalStatus) or (FeverPlus and (Confusion or Drowsiness or Petechiae or StiffNeck)) or Delirium or Encephalitis or Meningitis or UnconsciousGroup) and not GeneralExclusions	N/A
Rash	(ChickenPox or Measles or RashGeneral or Roseola or (Rubella and not Pregnancy) or Shingles or (SkinSores and AllOverBody) or Smallpox) and not GeneralExclusions	Smallpox
Respiratory	(Anthrax or Bronchitis or (ChestPain and [Age<50]) or Cough or Croup or DifficultyBreathing or Hemothorax or Hypoxia or Influenza or Legionnaires or LowerRespiratoryInfection or Pleurisy or Pneumonia or RespiratoryDistress or RespiratoryFailure or RespiratorySyncytialVirus or RibPain or ShortnessOfBreath or Wheezing) and not (GeneralExclusions or Cardiac or (ChestPain and Musculoskeletal) or Hyperventilation or Pneumothorax)	Anthrax (inhalational) Tularemia Plague (pneumonic)
Severe Illness or Death	CardiacArrest or CodeGroup or DeathGroup or (Hypotension and FeverPlus) or RespiratoryArrest or SepsisGroup or Shock	N/A

Appendix 2: Maryland Health and Medical Region Definitions

Health and Medical Region	Counties Reporting to ESSENCE		
	Allegany County		
Pagions 1 & 2	Frederick County		
Regions 1 & 2	Garrett County		
	Washington County		
	Anne Arundel County		
	Baltimore City		
Region 3	Baltimore County		
Region 3	Carroll County		
	Harford County		
	Howard County		
	Caroline County		
	Cecil County		
	Dorchester County		
	Kent County		
Region 4	Queen Anne's County		
	Somerset County		
	Talbot County		
	Wicomico County		
	Worcester County		
	Calvert County		
	Charles County		
Region 5	Montgomery County		
	Prince George's County		
	St. Mary's County		

